

Resident would like an update on the concept plan for the park at Glenlee

Council advised it would log this request. [Request #531831](#)

Resident would like to see longer opening hours at The Caves Transfer Station particularly on the weekend. Hours are hard at the moment for shift workers.

Council advised it would log this request. [Request #531832](#)

Resident asked why are Livingstone Shire Council residents at Glenlee paying more for their water than Rockhampton Regional Council residents.

Council advised it would log this request. [Request #531835](#)

Residents advised there used to be an emergency route out of the estate through one of the properties in Amanda Road. They believe this emergency route may have since been amalgamated in to an existing property, when did this happen and why weren't residents advised? Can you please check if there used to be a gazetted road (or any road) that was identified as an alternate route out of the estate if needed in case of an emergency, that runs through a property on Amanda Road that possibly no longer exists

Council advised it would log a request. [Request #53847](#)

Residents believes a turning lane is required on Yaamba Road. If travelling south and waiting to turn right into Nielsen Avenue a turning lane is required there to allow other vehicles behind to go around on the left. Cr Mather advised Council would need to lobby Department of Transport and Main Roads for this to happen.

[Request #531851](#)

Resident advised that drivers are coming to the t-intersection on the corner of Terranova Drive (coming on to Emmerson drive) and going straight around that corner at speed without even looking. Resident has had three near misses in recent months. Something needs to be done to slow drivers down, possibly install speed bumps.

Council advised it would log a request. [Request #531852](#)

Refer previous CR 530454 Stormwater Easement directly behind 4 Inverary Way Rockyview is filled with Silt dirt and grass and this causes flooding inundation into 4 Inverary Way in turn damaging the shed located at the rear of this premise. In heavy rain the water backs up because it cannot get away to this blockage. The storm water drain located at the end of this silted easement in Stirling Drive may require a clean out also. Resident advised she received a letter from Council advising it is unable to provide 100% immunity from flooding in rain events. Resident advised 30m of silt needs to be scooped out of the drain that has come down over the years. Cr Mather advised she would go and have a look at it after the meeting.

Council advised it would log a request. [Request #531857](#)

Resident would like to know why Council has three tiers of water charges, and requires an explanation as to how they are charged (per tier) each bill as they are of the understanding that they are charged the lowest tier at the beginning of the financial year and work up through the tiers as the financial year goes on.

Council advised it would log a request. [Request #531859](#)

Resident would like to know what the Glenlee area is zoned as, and why a car wreckers has been permitted to operate in this area. Can you please call resident to discuss further, address not known sorry.

Cr Mather advised she's following this up and a request has been logged. [Request #531860](#)

Resident said the drain in Nielsen Ave is blocked where it meets Emmerson Drive. Can you please inspect and clear.

Council advised it would log a request. [Request #531863](#)

Resident advised he reported illegal dumping on Greenlakes Rd . He was advised that Council was unable to find any evidence as to who dumped so end of story.

Cr Hutton advised he would follow this up. Added note to existing request for infrastructure to contact Cr Hutton and customer to provide an update. [Request #522384](#)

Resident would like Council to seal the unsealed section of Dawson Rd Glenlee.

Council advised it would log a request. [Request #531868](#)

Resident would like to know who they can speak to regarding low water pressure, can you please call resident to discuss. He advised it's a new issue.

Council advised it would log a request. [Request #531871 and #531873](#)